



Datasheet

Italo 2 Urban



The Italo offers high performance functionality and comes with a wide optic selection suitable for any street, pathway or car park application.

The luminaire shall be manufactured from high-pressure die-cast aluminium. It shall have an LED efficacy of up to 131.0 lm/W and will be capable of producing up to 15,130 luminaire lumens at 4000K with a CRI >70. It shall have an asymmetric forward throw optic and is rated at IP66 and IK09.

Weight: 7.0kg
Windage: 0.06-0.18m²
Material: Die-cast Aluminium
Paint finish: Semi-Gloss Satin Grey

- 15.0W - 151.0W
- 1,750 - 18,120 Luminaire Lumens
- Efficacy up to 242.0 lm/W
- 2700K, 3000K and 4000K, CRI >70
- Lifetime >100,000hr, L90
- Toolless Entry




- 76mm Advised for Side Entry Fixing
- 76mm for Post Top as well as Side Entry




- Colour Temperature Options
- Photocell Options
- Emergency Options
- Paint Finish Options

Contact for details


Narrow Street
Optic (SV)



Street Optic
(STE-M)



Street Optic
(SO5)

[illegible]

Code	Power	Luminaire Lumens	Drive Current	Optic	CCT(K)	IP	IK	Weight kg	Paint Finish	Driver Included
ITP-SO5-4.5-1M1F	16.0	1,830	525	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.7-1M1F	21.5	2,360	700	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.5-2M1F	30.5	3,600	525	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.7-2M1F	40.0	4,600	700	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.5-3M1F	44.0	5,390	525	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.7-3M1F	58.0	6,850	700	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.5-4M1F	57.0	6,970	525	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.7-4M1F	76.0	8,770	700	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.5-5M1F	72.0	9,190	525	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.7-5M1F	95.0	11,590	700	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.5-6M1F	85.0	10,830	525	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.7-6M1F	114.0	13,720	700	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.5-7M1F	99.0	12,600	525	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.7-7M1F	132.0	15,880	700	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.5-8M1F	113.0	14,380	525	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.7-8M1F	151.0	18,120	700	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SO5-4.5-9M1F	128.0	16,480	525	Street Optic (SO5)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.5-1M1F	15.0	1,750	525	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.7-1M1F	21.5	2,360	700	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.5-2M1F	30.5	3,600	525	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.7-2M1F	40.0	4,600	700	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.5-3M1F	44.0	5,390	525	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.7-3M1F	58.0	6,850	700	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.5-4M1F	57.0	6,970	525	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.7-4M1F	76.0	8,770	700	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.5-5M1F	72.0	9,190	525	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.7-5M1F	95.0	11,590	700	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.5-6M1F	85.0	10,830	525	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.7-6M1F	114.0	13,720	700	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.5-7M1F	99.0	12,600	525	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.7-7M1F	132.0	15,880	700	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.5-8M1F	113.0	14,380	525	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.7-8M1F	151.0	18,120	700	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-M-4.5-9M1F	128.0	16,480	525	Street Optic (STU-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.5-1M1F	15.0	1,750	525	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.7-1M1F	21.5	2,360	700	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.5-2M1F	30.5	3,600	525	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.7-2M1F	40.0	4,600	700	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y

ITP-STU-S-4.5-3M1F	44.0	5,390	525	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.7-3M1F	58.0	6,850	700	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.5-4M1F	57.0	6,970	525	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.7-4M1F	76.0	8,770	700	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.5-5M1F	72.0	9,190	525	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.7-5M1F	95.0	11,590	700	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.5-6M1F	85.0	10,830	525	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.7-6M1F	114.0	13,720	700	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.5-7M1F	99.0	12,600	525	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.7-7M1F	132.0	15,880	700	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.5-8M1F	113.0	14,380	525	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.7-8M1F	151.0	18,120	700	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STU-S-4.5-9M1F	128.0	16,480	525	Street Optic (STU-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.5-1M1F	15.0	1,830	525	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.7-1M1F	21.5	2,360	700	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.5-2M1F	30.5	3,600	525	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.7-2M1F	40.0	4,600	700	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.5-3M1F	44.0	5,390	525	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.7-3M1F	58.0	6,850	700	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.5-4M1F	57.0	6,970	525	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.7-4M1F	76.0	8,770	700	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.5-5M1F	72.0	9,190	525	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.7-5M1F	95.0	11,590	700	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.5-6M1F	85.0	10,830	525	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.7-6M1F	114.0	13,720	700	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.5-7M1F	99.0	12,600	525	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.7-7M1F	132.0	15,880	700	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.5-8M1F	113.0	14,380	525	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.7-8M1F	151.0	18,120	700	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-SV-4.5-9M1F	128.0	16,480	525	Narrow Street Optic (SV)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-M-4.5-1M1F	20.5	2,540	525	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-M-4.7-1M1F	28.0	3,190	700	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-M-4.5-2M1F	39.0	5,030	525	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-M-4.7-2M1F	52.0	6,370	700	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-M-4.5-3M1F	57.0	7,300	525	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-M-4.7-3M1F	76.0	9,180	700	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-M-4.5-4M1F	76.0	9,700	525	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-M-4.7-4M1F	102.0	12,240	700	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-M-4.5-5M1F	95.0	12,400	525	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y

ITP-STE-M-4.7-5M1F	127.0	15,550	700	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-M-4.5-6M1F	112.0	14,790	525	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-M-4.7-6M1F	150.0	18,560	700	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-M-4.5-7M1F	131.0	17,150	525	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-M-4.5-8M1F	150.0	19,530	525	Street Optic (STE-M)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.5-1M1F	20.5	2,450	525	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.7-1M1F	28.0	3,190	700	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.5-2M1F	39.0	5,030	525	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.7-2M1F	52.0	6,370	700	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.5-3M1F	57.0	7,300	525	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.7-3M1F	76.0	9,180	700	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.5-4M1F	76.0	9,700	525	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.7-4M1F	102.0	12,240	700	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.5-5M1F	95.0	12,400	525	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.7-5M1F	127.0	15,550	700	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.5-6M1F	112.0	14,790	525	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.7-6M1F	150.0	18,560	700	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.5-7M1F	131.0	17,150	525	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STE-S-4.5-8M1F	150.0	19,530	525	Street Optic (STE-S)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.5-1M1F	20.5	2,450	525	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.7-1M1F	28.0	3,190	700	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.5-2M1F	39.0	5,030	525	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.7-2M1F	52.0	6,370	700	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.5-3M1F	57.0	7,300	525	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.7-3M1F	76.0	9,180	700	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.5-4M1F	76.0	9,700	525	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.7-4M1F	102.0	12,240	700	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.5-5M1F	95.0	12,400	525	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.7-5M1F	127.0	15,550	700	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.5-6M1F	112.0	14,790	525	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.7-6M1F	150.0	18,560	700	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.5-7M1F	131.0	17,150	525	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-STW-4.5-8M1F	150.0	19,530	525	Street Optic (STW)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-S-4.5-2M1F	30.5	3,600	525	Street Optic (SL)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-S-4.7-2M1F	19.0	4,600	700	Street Optic (SL)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-S-4.5-4M1F	57.0	6,970	525	Street Optic (SL)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-S-4.7-4M1F	76.0	8,770	700	Street Optic (SL)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-S-4.5-6M1F	85.0	10,830	525	Street Optic (SL)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y
ITP-S-4.7-6M1F	114.0	13,720	700	Street Optic (SL)	4000	IP66	IK09	12.0	Semi-Gloss Satin Grey	Y